

Catalogo 2008-2009




CLEAR QUIET LASTING



WIPER BLADE

Energy[®]
POWER



SUN-715

Revolution soft wiper blade which gathers quantity excellence of other soft wiper blades. This new type of soft wiper blade has six different adapters to fit most wiper arms, not only universal hook arm, but also special types, such as pin, bayonet and so on.

 <p>715ZSGDG+PA-502</p>  <p>PIN 6.5</p>  <p>PIN 4.8</p>  <p>HOOK 9X3</p>  <p>HOOK 9X4</p>	 <p>715-2ZSG</p>  <p>715-2ZSGDG</p>  <p>715-2ZSGG</p>  <p>SADDLE I</p>
 <p>715-6ZSG</p>  <p>BAYONET I</p>	 <p>715-8ZSG</p>  <p>SADDLE II</p>
 <p>715-7ZSG</p>  <p>BAYONET II</p>	 <p>715-2ZSGG</p>  <p>715-3ZSG</p>  <p>SIDE PIN</p>
 <p>715-5ZSG</p>  <p>TOP LOCK</p>	 <p>715-4ZSG</p>

INCH	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"	25"	26"	27"	28"
MM	330	350	380	400	425	450	475	500	530	550	580	600	630	650	680	700

SOFT

wiper blade

SUN-715

90%

easy installation adapter for over 90% of vehicle applications and safer connection with wiper during high speed driving

190
Km/h

aerodynamics design reduce wind lift up to 190 Km/h highway speeds test, 40% better enhanced performance than original wiper blade

30%

precision-tensioned dual steel spring guarantees uniform pressure along the whole wiper blade, 30% more clear view performance than original blades

100%

energy economization and parts weight elimination can reduce noise to 38db and up to 20% longer life time by reducing motor load

38db

energy economization and parts weight elimination can reduce noise to 38db and up to 20% longer life time by reducing motor load



1



45 degree angle and Precision-cut wiping edge removes the smallest droplets

2



Flume design provides a high volume runoff during heavy rain

3



Fully-enclosed metal spring make sustained pressure



Easy installation universal adapter for over 90% of vehicle applications



INCH	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"	25"	26"	27"	28"
MM	330	350	380	400	425	450	475	500	530	550	580	600	630	650	680	700

PREMIUM

wiper blade

SUN-608



13" - 16" 4 pressure points



17" - 20" 6 pressure points



21" - 26" 8 pressure points

90%

easy installation adapter for over 90% of vehicle applications and safer connection with wiper during high speed driving

41_{dh}

Graphite fluoride & precision-cut technology can reduce the noise to 41 db, much lower than other original blades

1 million

High grade rubber technology can provide a durable and optimum performance guaranteed up to 1 million wiping cycles

180 Km/h

Strong aerodynamics design construction with air vents help reduce blade lift-up to 180 km/h highway speed test

100%

100% natural rubber resist to extreme heat & cold, ozone, acid & alkali, precision-cut wiping edge removes the smallest droplets

INCH	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"	25"	26"
MM	330	350	380	400	425	450	475	500	530	550	580	600	630	650

PREMIUM

wiper blade



SUN-609

High quality universal type.
Metal frame with 1.2MM thickness.
Stainless steel backing resulting in outstanding corrosion resistance

INCH	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"	25"	26"
MM	330	350	380	400	425	450	475	500	530	550	580	600	630	650



SUN-601

New design wiper blade which has 1.2mm thick metal frame and stainless steel backing.
Unique design for bracket frame resulting in better intensity.
It reduces wind resistance effectively and promises you quiet and comfortable driving at high speed.
Natural rubber with Japanese refined direction resulting in excellent wiper performance, wide range of weather adaptability, less noise and long life.

INCH	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"	25"	26"	27"	28"
MM	330	350	380	400	425	450	475	500	530	550	580	600	630	650	680	700



SUN-405

Popular riveted type.
Metal frame with 0.9MM thickness.
It has little tolerance between levers resulting in excellent durability and clean wiper performance.

INCH	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"
MM	330	350	380	400	425	450	475	500	530	550	580	600

